Connecting via Winsock to STN

STN STRUCTURE SEARCH (REGISTRY/CAPLUS)

Welcome to STN International! Enter x:x

LOGINID:SSPTAJMN1626

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPCI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAplus and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	20	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS	21	APR 28	EMBASE Controlled Term thesaurus enhanced
NEWS	22	APR 28	IMSRESEARCH reloaded with enhancements

NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 14:54:37 ON 16 MAY 2008

=> FIL REG

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	4.83	4.83

FILE 'REGISTRY' ENTERED AT 15:08:05 ON 16 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 MAY 2008 HIGHEST RN 1020941-66-5
DICTIONARY FILE UPDATES: 14 MAY 2008 HIGHEST RN 1020941-66-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10509795\May_1.str





chain nodes :
10 11 12 13 14 15 16 17
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-16 4-17 5-15 6-14 7-10 9-13 10-11 11-12
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds :
2-7 3-9 5-15 6-14 7-8 8-9 11-12
exact bonds :
1-16 4-17 7-10 9-13 10-11
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:Atom 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS
Generic attributes :
12:
Saturation : Unsaturated

L1 STRUCTURE UPLOADED

=> D
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

```
=> S L1
SAMPLE SEARCH INITIATED 15:08:25 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -     2033 TO ITERATE

 98.4% PROCESSED     2000 ITERATIONS                                28 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:        37956 TO    43364
PROJECTED ANSWERS:             249 TO      889

L2            28 SEA SSS SAM L1

=> D SCAN
```

L2 28 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Cyclopropanecarboxamide, N-[3-[(1R)-2-[3,4-difluorophenyl]ethenyl]-6-fluoro-1H-indazol-5-yl]-1-hydroxy-
MF C19 H14 F3 N3 O2

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1)-1

L2 28 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Acetamide, N-[6-fluoro-3-[(1R)-2-[3-pyridinyl]ethenyl]-1H-indazol-5-yl]-
MF C16 H13 F N4 O

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1)-9

```
=> S L1 FULL
FULL SEARCH INITIATED 15:08:42 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    39742 TO ITERATE

100.0% PROCESSED    39742 ITERATIONS                          328 ANSWERS
SEARCH TIME: 00.00.01

L3          328 SEA SSS FUL L1
```

```
=> FIL CAPLUS
COST IN U.S. DOLLARS                          SINCE FILE      TOTAL
                                                 ENTRY    SESSION
FULL ESTIMATED COST                             178.36     183.19

FILE 'CAPLUS' ENTERED AT 15:08:46 ON 16 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 16 May 2008  VOL 148 ISS 20
FILE LAST UPDATED: 14 May 2008  (20080514/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/legal/infopolicy.html
```

```
=> S L3
L4            2 L3

=> D IBIB ABS TOT
```

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2007:565202 CAPLUS
DOCUMENT NUMBER: 147:99901
TITLE: Indazole compounds and their preparation, pharmaceutical compositions and use in the treatment of proliferative diseases
INVENTOR(S): Blanchard, Stephanie; Deng, Weiping; Lee, Cheng Hsia Angeline; Poulsen, Anders; Yoo, Ee Ling; Tu, Noah P.; Willian, Anthony Deodatus
PATENT ASSIGNEE(S): Shio Pte Ltd., Singapore
SOURCE: PCT Int. Appl., 179pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007058626	A1	20070524	WO 2004-SG351	20041115
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
PRIORITY APPLN. INFO.:			US 2005-736845P	P 20051116
OTHER SOURCE(S):	MARPAT 147:99901			
GI				



L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

I

II

AB The invention relates to indazole compds. of formula I, which are useful in the treatment of proliferative disorders such as cancer. Compds. of formula I wherein R1, R2, R3, R4 and R5 are independently H, halo, NO2, CN, (halo)alkyl, (halo)alkenyl, alkynyl, heteroalkyl; T is single bond, CR2, CR2CR2, CR=CR, (un)substituted C3-6 alkenylene, (un)substituted C2-6 alkynylene, and (un)substituted C3-6 cycloalkyl; Ar is (un)substituted (hetero)aryl; and their pharmaceutically acceptable salts, N-oxides and prodrugs thereof, are claimed. Example compound 11 was prepared by a general procedure (procedure given). All the invention compds. were evaluated for their antiproliferative activity. From the assay, it was determined that compound 11 exhibited GI50 of 20 μM or less.
REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2003:972059 CAPLUS
DOCUMENT NUMBER: 140:27819
TITLE: Preparation of pyrazole derivatives as JNK inhibitors
INVENTOR(S): Oh, Norihito; Sato, Nobuaki; Somjima, Motohiro; Doko, Takashi; Terauchi, Taro; Naoe, Yoshinitsu; Notoki, Takafumi
PATENT ASSIGNEE(S): Kissi Co., Ltd., Japan
SOURCE: PCT Int. Appl., 581 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003101968	A1	20031211	WO 2003-JP6777	20030529
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
CA 2482838	A1	20031211	CA 2003-2482838	20030529
AU 2003241925	A1	20031219	AU 2003-241925	20030529
EP 1510514	A1	20050302	EP 2003-733170	20030529
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
CN 1656079	A	20050817	CN 2003-812475	20030529
US 20050209258	A1	20050922	US 2003-447946	20030530
US 20050261399	A1	20051124	US 2005-168795	20050624
PRIORITY APPLN. INFO.:			JP 2002-158467	A 20020531
			JP 2003-153	A 20030106
			WO 2003-JP6777	W 20030529
OTHER SOURCE(S):	MARPAT 140:27819			
GI				



I

INSTANT APP

AB The title compds. I [R1 represents (CO)n(NRa)p(CRbRc)qAr (wherein Ra, Rb, and Rc each independently represents hydrogen, halogeno, hydroxy, optionally substituted C1-6 alkyl, etc.); Ar = (un)substituted aromatic

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
heterocyclic ring, etc.; R, p, q, k = 0 or 1; Q, r is a 5- or 6-membered arom. heterocycle; and V represents L-X-Y (wherein L is a single bond, optionally substituted C1-6 alkylene, etc.; X is a single bond, O, CO, etc.; and Y is hydrogen, halogeno, nitro, etc.); n = 0 - 4] are prepd. Compds. of this invention in vitro showed IC50 values of 65 nM to 578 nM against JNK-3.
REFERENCE COUNT: 57 THERE ARE 57 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
=> FIL REG
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                      ENTRY    SESSION
FULL ESTIMATED COST                                    7.26     190.45

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)          SINCE FILE      TOTAL
                                                      ENTRY    SESSION
CA SUBSCRIBER PRICE                                   -1.60      -1.60

FILE 'REGISTRY' ENTERED AT 15:10:29 ON 16 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:   14 MAY 2008  HIGHEST RN 1020941-66-5
DICTIONARY FILE UPDATES:  14 MAY 2008  HIGHEST RN 1020941-66-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10509795\May_2.str
```





```
chain nodes :
```

```
10  11  12  13  14  15
ring nodes :
1  2  3  4  5  6  7  8  9
chain bonds :
7-10  9-13  10-11  11-12
ring bonds :
1-2  1-6  2-3  2-7  3-4  3-9  4-5  5-6  7-8  8-9
exact/norm bonds :
2-7  3-9  7-8  8-9  11-12
exact bonds :
7-10  9-13  10-11
normalized bonds :
1-2  1-6  2-3  3-4  4-5  5-6


Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:Atom  7:Atom  8:Atom  9:Atom  10:CLASS
11:CLASS  12:Atom  13:CLASS  14:CLASS  15:CLASS  16:Atom  17:Atom
Generic attributes :
12:
Saturation              : Unsaturated




L5      STRUCTURE UPLOADED

=> D
L5 HAS NO ANSWERS
L5                STR
```




```
Structure attributes must be viewed using STN Express query preparation.
```

```
=> S L5
SAMPLE SEARCH INITIATED 15:10:52 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -     2033 TO ITERATE

 98.4% PROCESSED     2000 ITERATIONS                                29 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE   **COMPLETE**
                        BATCH    **COMPLETE**
PROJECTED ITERATIONS:         37956 TO    43364
PROJECTED ANSWERS:              264 TO      914

L6           29 SEA SSS SAM L5

=> S L5 FULL
FULL SEARCH INITIATED 15:10:58 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    39742 TO ITERATE

100.0% PROCESSED    39742 ITERATIONS                              353 ANSWERS
SEARCH TIME: 00.00.01

L7          353 SEA SSS FUL L5

=> D HIS

     (FILE 'HOME' ENTERED AT 14:54:37 ON 16 MAY 2008)

     FILE 'REGISTRY' ENTERED AT 15:08:05 ON 16 MAY 2008
L1               STRUCTURE UPLOADED
L2            28 S L1
L3           328 S L1 FULL

     FILE 'CAPLUS' ENTERED AT 15:08:46 ON 16 MAY 2008
L4             2 S L3

     FILE 'REGISTRY' ENTERED AT 15:10:29 ON 16 MAY 2008
L5               STRUCTURE UPLOADED
L6            29 S L5
L7           353 S L5 FULL

=> S L7 NOT L3
L8           25 L7 NOT L3

=> FIL CAPLUS
COST IN U.S. DOLLARS                            SINCE FILE      TOTAL
                                                  ENTRY     SESSION
FULL ESTIMATED COST                               178.36     368.81

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)      SINCE FILE      TOTAL
                                                  ENTRY     SESSION
CA SUBSCRIBER PRICE                                 0.00      -1.60
```

FILE 'CAPLUS' ENTERED AT 15:11:13 ON 16 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

FILE COVERS 1907 - 16 May 2008 VOL 148 ISS 20
FILE LAST UPDATED: 14 May 2008 (20080514/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/legal/infopolicy.html

```
=> S L8
L9              1 L8

=> D IBIB ABS HITSTR
```

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2003:972059 CAPLUS
DOCUMENT NUMBER: 140:27859
TITLE: Preparation of pyrazole derivatives as JNK inhibitors
INVENTOR(S): Ohi, Norihito; Sato, Nobuaki; Soejima, Motohiro; Seko,
Takashi; Terauchi, Taro; Naoe, Yoshimitsu; Motoki, Takafumi
PATENT ASSIGNEE(S): Eisai Co., Ltd., Japan
SOURCE: PCT Int. Appl., 561 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

INSTANT APP.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003091968	A1	20031113	WO 2003-JP4777	20030529
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2482838	A1	20031113	CA 2003-2482838	20030529
AU 2003241925	A1	20031119	AU 2003-241925	20030529
EP 1519916	A1	20050302	EP 2003-733170	20030529
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
CN 1656079	A	20050817	CN 2003-812470	20030529
US 20050209252	A1	20050922	US 2003-447948	20030530
US 20060241379	A1	20051026	US 2005-509795	20050225
PRIORITY APPLN. INFO.:			JP 2002-158467 A	20020531
			JP 2003-153 A	20030106
			WO 2003-JP4777 W	20030529

OTHER SOURCE(S): MARPAT 140:27859
GI

I

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

AB The title compds. I [R1 represents (CO)n(NRa)p(CRbRcCHd)kAr (wherein Ra, Rb, and Rc each independently represent a hydrogen, halogeno, hydroxy, optionally substituted C1-6 alkyl, etc.); Ar = (un)substituted aromatic heterocyclic ring, etc.; n, p, k = 0 or 1; Cy is a 5- or 6-membered aromatic heterocycle; and V represents L-A-Y (wherein L is a single bond, optionally substituted C1-6 alkylene, etc.; A is a single bond, O, CO, etc.; and Y is hydrogen, halogeno, nitro, etc.); n = 0 - 4] are prepared Compds. of this invention in vitro showed IC50 values of 61 nM to 570 nM against JNK-3.

IT 633923-92-9P 633923-93-0P 633923-94-1P
633923-95-2P 633925-19-4P 633925-29-8P
633925-30-1P 633926-67-9P 633933-86-8P
633933-96-9P 633933-97-0P 633933-98-1P
633933-99-2P 633933-10-5P 633933-11-6P
633933-12-7P 633933-13-8P 633933-14-9P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of pyrazole derivs. as JNK inhibitors)

RN 633925-92-9 CAPLUS
CN 1H-Indazole-5-carboxamide, 7-fluoro-N-[(2S)-2-hydroxy-1-phenylethyl]-3-[(1E)-2-(5-pyridinyl)ethenyl]- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.

RN 633923-93-0 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

RN 633923-94-1 CAPLUS
CN 1H-Indazol-5-amine, 7-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

RN 633923-95-2 CAPLUS
CN 2-Furancarboxamide, N-[7-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]-1H-indazol-5-yl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 633925-19-4 CAPLUS
CN 1H-Indazole-5-carboximidic acid, 7-fluoro-3-[(1E)-2-(3-fluorophenyl)ethenyl]-, ethyl ester, hydrochloride (1:1) (CA INDEX NAME)

Double bond geometry as shown.



● HCl

RN 633925-29-8 CAPLUS
CN 1H-Indazole-5-carbonitrile, 7-fluoro-3-[(1E)-2-(4-fluorophenyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

RN 633325-30-1 CAPLUS
CN 1H-Indazole-3-carboximidic acid, 7-fluoro-3-[(1E)-2-(4-fluorophenyl)ethenyl]-, ethyl ester, hydrochloride (1:1) (CA INDEX NAME)

Double bond geometry as shown.



● HCl

RN 633332-67-9 CAPLUS
CN 1H-Indazole-5-carboxamide, 7-fluoro-N-[(1S)-2-hydroxy-1-phenylethyl]-3-[(1E)-2-[4-(trifluoromethyl)phenyl]ethenyl]- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



RN 633333-05-8 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(2-fluorophenyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 633333-08-1 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-phenylethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633333-09-2 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(2-thienyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 633333-06-9 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(3-fluorophenyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633333-07-0 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(4-fluorophenyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 633333-10-5 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(3-thienyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633333-11-6 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(2-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633333-12-7 CAPLUS

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-[4-pyridinyl]ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633333-17-8 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(6-methoxy-2-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 633333-14-9 CAPLUS
CN 1H-Indazole-5-carboxamide, N-cyclopropyl-7-fluoro-3-[(1E)-2-(6-methoxy-3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 633327-32-9 CAPLUS
CN 1H-Indazole-5-carboxamide, 7-fluoro-N-[(1S)-1-(hydroxymethyl)-2-methylpropyl]-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



RN 633327-33-0 CAPLUS
CN 1H-Indazole-5-carboxamide, N-[(1S)-2-amino-1-methyl-2-oxoethyl]-7-fluoro-3-[2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



IT 633327-30-7P 633327-31-8P 633327-32-9P
633327-33-0P 633328-21-9P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of pyrazole deriv. as JNK inhibitors)
RN 633327-30-7 CAPLUS
CN 1H-Indazole-5-carboxylic acid, 7-fluoro-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

RN 633327-31-8 CAPLUS
CN 1H-Indazole-5-carboxamide, 7-fluoro-N-(2-furanylmethyl)-3-[(1E)-2-(3-pyridinyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
RN 633328-21-9 CAPLUS
CN 1H-Indazole-5-carbonitrile, 7-fluoro-3-[(1E)-2-(3-fluorophenyl)ethenyl]- (CA INDEX NAME)

Double bond geometry as shown.

REFERENCE COUNT: 57 THERE ARE 57 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT